ISA
TRANSACTIONS®

ISA Transactions 42 (2003) 673–675

Author index of Volume 42

Abdelrahman, M. and P. Kandasamy, Integration of multiple sensor fusion in controller design 197–205
Agarwala, A.K., *see* Khan, S.A. 337–352

Bailey, M.B. and J.F. Kreider, Creating an automated chiller fault detection and diagnostics tool using a data fault library 485–495
Baird, R., *see* Sanchez, A. 401–420
Behroozi, F., B. Lambert and B. Buhrow, Noninvasive measurement of viscosity from damping of capillary waves 3– 8
Bhurtun, C., *see* Oolun, K. 29– 37
Blevins, T., *see* Wojsznis, W. 149–162
Bloch, G. and T. Denoeux, Neural networks for process control and optimization: Two industrial applications 39– 51
Bogaerts, Ph. and A. Vande Wouwer, Software sensors for bioprocesses 547–558
Bonvin, D. and B. Srinivasan, Optimal operation of batch processes via the tracking of active constraints 123–134
Buhrow, B., *see* Behroozi, F. 3– 8

Cai, W., *see* Song, S. 63– 72
Caliskan, F. and M.A. Zohdy, Robust quadratic stabilization applied to design of continuous- time and discrete-time observers 381–389
Caliskan, F., *see* Hajiyev, Ch.M. 53– 61
Cartes, D.A., *see* Zhao, Y. 437–450
Cascetta, F., A. Palombo and G. Scalabrini, Water flow measurement in large bore pipes: An experimental comparison between two different types of insertion flowmeters 171–179
Chakraborty, S., *see* Gupta, A. 615–630
Chaudhuri, S., A. Mukherjee, P.K. Dutta and A. Patra, A distortion corrected single camera-based weight estimation technique for industrial objects 353–360
Chen, Y.S., J.S.H. Tsai, L.S. Shieh and M.M. Moussighi, Digital redesign of anti-wind-up controller for cascaded analog system 73– 88
Chin, S.J., *see* Tan, K.K. 19– 27
Chou, C.-H., Synthesized variable structure control and gray prediction for a class of perturbed systems 241–250
Collins, E.G., Jr., *see* Zhao, Y. 437–450
Cross, J., *see* Lahijanian, H. 525–533

D'Emilia, G. and L. De Santis, Design and experimental evaluation of a simple and robust control setup for measurement optimization in industrial applications 451–459
Denoeux, T., *see* Bloch, G. 39– 51
De Santis, L., *see* D'Emilia, G. 451–459
Ding, B. and S. Li, Design and analysis of constrained nonlinear quadratic regulator 251–258
Dondo, R. and D. Marqués, Simulation results for on-line optimization of a batch bioreactor using nonlinear filtering and optimal control 289–303
Dondo, R., *see* Giovanini, L. 643–649
Dondo, R.G., A method for detection and diagnosis on batch fermentations 135–147
Dou, H.F., *see* Tan, K.K. 19– 27
Dudney, J., *see* Zhu, H. 475–484
Dutta, P.K., *see* Chaudhuri, S. 353–360

Eker, İ. and T. Kara, Operation and control of a water supply system 461–473

Etemad, S.Gh., J. Thibault and S.H. Hashemabadi, Calculation of the Pitot tube correction factor for Newtonian and non-Newtonian fluids 505–512

Ferdous, R., *see* Tan, K.K. 273–277
Flaus, J.-M. and L. Thévenon, Data flow modeling for batch and hybrid processes 361–380

Ganguly, R., *see* Gupta, A. 615–630
Garcia, C., *see* Vaillant, O.R. 181–195
Garcia Iturricha, A., *see* Sabatier, J. 421–436
Gaydecki, P., *see* Oolun, K. 29– 37
Giovanini, L. and R. Dondo, A fault detection and isolation filter for discrete linear systems 643–649
Giovanini, L.L., Model predictive control with amplitude and rate actuator saturation 227–240
Giovanini, L.L., Predictive feedback control 207–226
Godena, G., *see* Kandare, G. 279–288
Golob, M. and B. Tovornik, Modeling and control of the magnetic suspension system 89–100
Gu, K., *see* Niculescu, S.-I. 595–603
Gudaz, J., *see* Wojsznis, W. 149–162
Gupta, A., R. Ganguly, S. Chakraborty, C. Mazumdar and D. Popovic, Simulating thermal power plant processes on a message passing environment 615–630

Hahn, J., *see* Zhou, Y. 651–664
Hajiyev, Ch.M. and F. Caliskan, An approach to improve the offshore platform coordinates accuracy by using multichannel Kalman filtering 53– 61
Hashemabadi, S.H., *see* Etemad, S.Gh. 505–512
He, X., *see* Zhang, W. 317–325
Ho, H.F., A.B. Rad, Y.K. Wong and W.L. Lo, On-line lower-order modeling via neural networks 577–593

Jinrong, Z. and Z. Mingyao, Safety anaylsis of the waterwall in one PFBC boiler by dynamic model 665–672
Johnson, M.S., *see* Kaistha, N. 305–315
Johnston, R.T., Real-time analysis system for gas turbine ground test acoustic measurements 513–523

Kaistha, N., M.S. Johnson, C.F. Moore and M.G. Leitnaker, Online batch recipe adjustments for product quality control using empirical models: Application to a nylon-6,6 process 305–315
Kandare, G., G. Godena and S. Strmčnik, A new approach to PLC software design 279–288
Kandasamy, P., *see* Abdelrahman, M. 197–205
Kara, T., *see* Eker, İ. 461–473
Kaya, I., A new Smith predictor and controller for control of processes with long dead time 101–110
Kaya, I., A PI-PD controller design for control of unstable and integrating processes 111–121
Kaya, I., Autotuning of a new PI-PD Smith predictor based on time domain specifications 559–575
Khan, S.A., D.T. Shahani and A.K. Agarwala, Sensor calibration and compensation using artificial neural network 337–352
Kreider, J.F., *see* Bailey, M.B. 485–495

Lahijanian, H., K. Yatapanage, R. Rosen and J. Cross, Instrumentation used to measure residential magnetic fields and currents 525–533
Lambert, B., *see* Behroozi, F. 3– 8
Lee, C.-H. and C.-C. Teng, Calculation of PID controller parameters by using a fuzzy neural network 391–400
Leitnaker, M.G., *see* Kaistha, N. 305–315
Levron, F., *see* Sabatier, J. 421–436
Li, C.K., *see* Lo, W.L. 259–272
Li, S., *see* Ding, B. 251–258
Lo, W.L., A.B. Rad and C.K. Li, Self-tuning control of systems with unknown time delay via extended polynomial identification 259–272
Lo, W.L., *see* Ho, H.F. 577–593
Lyonnet, P., *see* Toscano, R. 327–335

Macchietto, S., *see* Sanchez, A. 401–420
Mannan, M.S., *see* Zhou, Y. 651–664
Marić, I., Software objects in distributed flow measurements 497–504
Marqués, D., *see* Dondo, R. 289–303
Marszal, E.M., Derivation of an equation for quantitative SIL assignment 163–165
Mazumdar, C., *see* Gupta, A. 615–630
Mehta, A., *see* Wojsznis, W. 149–162

Mingyao, Z., *see* Jinrong, Z. 665–672
Moore, C.F., *see* Kaistha, N. 305–315
Moussighi, M.M., *see* Chen, Y.S. 73– 88
Mukherjee, A., *see* Chaudhuri, S. 353–360

Niculescu, S.-I. and K. Gu, Robust stability of some oscillatory systems including time-varying delay with applications in congestion control 595–603
Nordman, M.M., A task scheduler framework for self-powered wireless sensors 535–545

Oolun, K., P. Gaydecki and C. Bhurtun, A coded approach to system identification using a modified Golay FIR filter 29– 37
Oustaloup, A., *see* Sabatier, J. 421–436

Palombo, A., *see* Cascetta, F. 171–179
Panda, S.K., *see* Qian, W. 605–613
Parra, L.F., *see* Sanchez, A. 401–420
Patra, A., *see* Chaudhuri, S. 353–360
Popovic, D., *see* Gupta, A. 615–630

Qian, W., S.K. Panda and J.X. Xu, Periodic speed ripples minimization in PM synchronous motors using repetitive learning variable structure control 605–613

Rad, A.B., *see* Ho, H.F. 577–593
Rad, A.B., *see* Lo, W.L. 259–272
Rajamani, R., *see* Zhu, H. 475–484
Rhinehart, R.R., Message from the Editor 1– 1
Rosen, R., *see* Lahijanian, H. 525–533

Sabatier, J., A. Oustaloup, A. Garcia Iturricha and F. Levron, CRONE control of continuous linear time periodic systems: Application to a testing bench 421–436
Sanchez, A., L.F. Parra, R. Baird and S. Macchietto, Hybrid modeling and dynamic simulation of automated batch plants 401–420
Scalabrini, G., *see* Cascetta, F. 171–179
Shahani, D.T., *see* Khan, S.A. 337–352
Shieh, L.S., *see* Chen, Y.S. 73– 88
Song, S., W. Cai and Y.-G. Wang, Auto-tuning of cascade control systems 63– 72
Srinivasan, B., *see* Bonvin, D. 123–134
Stelson, K.A., *see* Zhu, H. 475–484
Strmčnik, S., *see* Kandare, G. 279–288

Tan, K.K., S.J. Chin and H.F. Dou, Feedforward suppression of force ripple based on a simplex-optimized dither signal 19– 27
Tan, K.K. and R. Ferdous, Relay-enhanced multi-loop PI controllers 237–277
Teng, C.-C., *see* Lee, C.-H. 391–400
Thévenon, L., *see* Flaus, J.-M. 361–380
Thibault, J., *see* Etemad, S.Gh. 505–512
Toscano, R. and P. Lyonnet, Diagnosis of the industrial systems by fuzzy classification 327–335
Tovornik, B., *see* Golob, M. 89–100
Tsai, J.S.H., *see* Chen, Y.S. 73– 88
Tsang, K.M., Sensor data validation using gray models 9– 17

Vaillant, O.R. and C. Garcia, Natural gas flow computer with open architecture using intelligent instrumentation and field bus 181–195
Vande Wouwer, A., *see* Bogaerts, Ph. 547–558
Venkatesan, G., Process control of product quality 631–641

Wang, Y.-G., *see* Song, S. 63– 72
Wojsznis, W., J. Gudaz, T. Blevins and A. Mehta, Practical approach to tuning MPC 149–162
Wong, Y.K., *see* Ho, H.F. 577–593

Xu, J.X., *see* Qian, W. 605–613
Xu, X., *see* Zhang, W. 317–325

Yatapanage, K., *see* Lahijanian, H. 525–533

Zhang, W., X. He and X. Xu, Comparison of several well-known controllers used in process control 317–325
Zhang, X.-Z., Calculation and measurement of the magnetic field in a large diameter electromagnetic flow meter 167–170

Zhao, Y., E.G. Collins, Jr. and D.A. Cartes, Self-tuning adaptive control for an industrial weigh belt feeder 437–450
Zhou, Y., J. Hahn and M.S. Mannan, Fault detection and classification in chemical processes based on neural networks with feature extraction 651–664
Zhu, H., R. Rajamani, J. Dudney and K.A. Stelson, Active noise control using a distributed mode flat panel loudspeaker 475–484
Zohdy, M.A., *see* Caliskan, F. 381–389

ISA
TRANSACTIONS®

ISA Transactions 42 (2003) 677–680

Cumulative contents of Volume 42

Volume 42, Number 1, January 2003

1 **Message from the Editor**

3 **Noninvasive measurement of viscosity from damping of capillary waves**
F. Behroozi, B. Lambert, B. Buhrow

9 **Sensor data validation using gray models**
K. M. Tsang

19 **Feedforward suppression of force ripple based on a simplex-optimized dither signal**
K. K. Tan, S. J. Chin, H. F. Dou

29 **A coded approach to system identification using a modified Golay FIR filter**
Krishna Oolun, Patrick Gaydecki, Chawdharry Bhurtun

39 **Neural networks for process control and optimization: Two industrial applications**
Gérard Bloch, Thierry Denoeux

53 **An approach to improve the offshore platform coordinates accuracy by using multichannel Kalman filtering**
Ch. M. Hajiyev, F. Caliskan

63 **Auto-tuning of cascade control systems**
Sihai Song, Wenjian Cai, Ya-Gang Wang

73 **Digital redesign of anti-wind-up controller for cascaded analog system**
Y. S. Chen, J. S. H. Tsai, L. S. Shieh, M. M. Moussighi

89 **Modeling and control of the magnetic suspension system**
Marjan Golob, Boris Tovornik

101 **A new Smith predictor and controller for control of processes with long dead time**
Ibrahim Kaya

111 **A PI-PD controller design for control of unstable and integrating processes**
Ibrahim Kaya

123 **Optimal operation of batch processes via the tracking of active constraints**
Dominique Bonvin, Bala Srinivasan

135 **A method for detection and diagnosis on batch fermentations**
Rodolfo G. Dondo

149 **Practical approach to tuning MPC**
Willy Wojsznis, John Gudaz, Terry Blevins, Ashish Mehta

163 **Derivation of an equation for quantitative SIL assignment**
Edward M. Marszal

Volume 42, Number 2, April 2003

167 **Calculation and measurement of the magnetic field in a large diameter electromagnetic flow meter**
Xiao-Zhang Zhang

171 **Water flow measurement in large bore pipes: An experimental comparison between two different types of insertion flowmeters**
Furio Cascetta, Adolfo Palombo, Gianfranco Scalabrini

181 **Natural gas flow computer with open architecture using intelligent instrumentation and field bus**
Osmel Reyes Vaillant, Claudio Garcia

197 **Integration of multiple sensor fusion in controller design**
Mohamed Abdelrahman, Parameshwaran Kandasamy

207 **Predictive feedback control**
Leonardo L. Giovanini

227 **Model predictive control with amplitude and rate actuator saturation**
Leonardo L. Giovanini

241 **Synthesized variable structure control and gray prediction for a class of perturbed systems**
Chien-Hsin Chou

251 **Design and analysis of constrained nonlinear quadratic regulator**
BaoCang Ding, ShaoYuan Li

259 **Self-tuning control of systems with unknown time delay via extended polynomial identification**
W. L. Lo, A. B. Rad, C. K. Li

273 **Relay-enhanced multi-loop PI controllers**
K. K. Tan, R. Ferdous

279 **A new approach to PLC software design**
Gregor Kandare, Giovanni Godena, Stanko Strmčnik

289 **Simulation results for on-line optimization of a batch bioreactor using nonlinear filtering and optimal control**
Rodolfo Dondo, Dardo Marqués

305 **Online batch recipe adjustments for product quality control using empirical models: Application to a nylon-6,6 process**
Nitin Kaistha, Mark S. Johnson, Charles F. Moore, Mary G. Leitnaker

317 **Comparison of several well-known controllers used in process control**
Weidong Zhang, Xing He, Xiaoming Xu

327 **Diagnosis of the industrial systems by fuzzy classification**
R. Toscano, P. Lyonnet

Volume 42, Number 3, July 2003

337 **Sensor calibration and compensation using artificial neural network**
Shakeb A. Khan, D. T. Shahani, A. K. Agarwala

353 **A distortion corrected single camera-based weight estimation technique for industrial objects**
Subhasis Chaudhuri, Anirban Mukherjee, Pranab K. Dutta, Amit Patra

361 **Data flow modeling for batch and hybrid processes**
Jean-Marie Flaus, Luc Thévenon

381 **Robust quadratic stabilization applied to design of continuous-time and discrete-time observers**
Fikret Caliskan, Mohamed A. Zohdy

391 **Calculation of PID controller parameters by using a fuzzy neural network**
Ching-Hung Lee, Ching-Cheng Teng

401 **Hybrid modeling and dynamic simulation of automated batch plants**
A. Sanchez, L. F. Parra, R. Baird, S. Macchietto

421 **CRONE control of continuous linear time periodic systems: Application to a testing bench**
Jocelyn Sabatier, Alain Oustaloup, Aitor Garcia Iturricha, François Levron

437 **Self-tuning adaptive control for an industrial weigh belt feeder**
Yanan Zhao, Emmanuel G. Collins, Jr., David A. Cartes

451 **Design and experimental evaluation of a simple and robust control setup for measurement optimization in industrial applications**
Giulio D'Emilia, Luciano De Santis

461 **Operation and control of a water supply system**
İlyas Eker, Tolgay Kara

475 **Active noise control using a distributed mode flat panel loudspeaker**
H. Zhu, R. Rajamani, J. Dudney, K. A. Stelson

485 **Creating an automated chiller fault detection and diagnostics tool using a data fault library**
Margaret B. Bailey, Jan F. Kreider

497 **Software objects in distributed flow measurements**
Ivan Marić

Volume 42, Number 4, October 2003

505 **Calculation of the Pitot tube correction factor for Newtonian and non-Newtonian fluids**
S. Gh. Etemad, J. Thibault, S. H. Hashemabadi

513 **Real-time analysis system for gas turbine ground test acoustic measurements**
Robert T. Johnston

525 **Instrumentation used to measure residential magnetic fields and currents**
H. Lahijanian, K. Yatapanage, R. Rosen, J. Cross

535 **A task scheduler framework for self-powered wireless sensors**
Mikael M. Nordman

547 **Software sensors for bioprocesses**
Ph. Bogaerts, A. Vande Wouwer

559 **Autotuning of a new PI-PD Smith predictor based on time domain specifications**
Ibrahim Kaya

577 **On-line lower-order modeling via neural networks**
H. F. Ho, A. B. Rad, Y. K. Wong, W. L. Lo

595 **Robust stability of some oscillatory systems including time-varying delay with applications in congestion control**
Silviu-Iulian Niculescu, Keqin Gu

605 **Periodic speed ripples minimization in PM synchronous motors using repetitive learning variable structure control**
Weizhe Qian, S. K. Panda, J. X. Xu

615 **Simulating thermal power plant processes on a message passing environment**
A. Gupta, R. Ganguly, S. Chakraborty, C. Mazumdar, D. Popovic

631 **Process control of product quality**
G. Venkatesan

643 **A fault detection and isolation filter for discrete linear systems**
L. Giovanini, R. Dondo

651 **Fault detection and classification in chemical processes based on neural networks with feature extraction**
Yifeng Zhou, Juergen Hahn, M. Sam Mannan

665 **Safety analysis of the waterwall in one PFBC boiler by dynamic model**
Zhu Jinrong, Zhang Mingyao

673 **Author index of Volume 42**

677 **Cumulative contents of Volume 42**